UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/582,793	06/14/2006	Hidenori Ishii	2006_0889A	6759
	7590 10/07/200 , LIND & PONACK I	EXAMINER		
2033 K. STREET, NW			OBAYANJU, OMONIYI	
SUITE 800 WASHINGTON, DC 20006			ART UNIT	PAPER NUMBER
			4163	
			MAIL DATE	DELIVERY MODE
			10/07/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
	10/582,793	ISHII ET AL.			
Office Action Summary	Examiner	Art Unit			
	OMONIYI A. OBAYANJU	4163			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
Responsive to communication(s) filed on <u>27 Oct</u> This action is FINAL . 2b) ☑ This Since this application is in condition for allowar closed in accordance with the practice under <i>E</i>	action is non-final. nce except for formal matters, pro				
Disposition of Claims					
4) ☐ Claim(s) 1-14 is/are pending in the application. 4a) Of the above claim(s) is/are withdray 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-14 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or Application Papers 9) ☐ The specification is objected to by the Examine 10) ☐ The drawing(s) filed on 14 June 2006 is/are: a) Applicant may not request that any objection to the other contents.	r election requirement. r. ⊠ accepted or b)□ objected to drawing(s) be held in abeyance. See	37 CFR 1.85(a).			
Replacement drawing sheet(s) including the correcti 11) The oath or declaration is objected to by the Ex-		• • • • • • • • • • • • • • • • • • • •			
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 06/14/2006.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate			

Application/Control Number: 10/582,793 Page 2

Art Unit: 2629

DETAILED ACTION

Drawings

Figures 15-21 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). Corrected drawings in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 2. Claims 1 and 12 are rejected under 35 U.S.C. 102(e) as being anticipated by Pasanen et al (US Publication No. 20050141593).

Application/Control Number: 10/582,793 Page 3

Art Unit: 2629

3. As to claims 1 and 12, Pasanen teaches a wireless network control system, comprising: a plurality of base stations that communicate with a mobile terminal (pg. 2, pp0012, lines 1-3); and relay stations provided in association with the respective base stations to relay communication between the mobile terminal and the base station (pg. 2, pp0012, lines 3-10); wherein when more than one of the plurality of base stations detect the mobile terminal within each accommodation areas (pg. 3, pp0027, lines 8-11), one of the base stations which detected the mobile station establishes communication connection to the relay station associated with another base station which detected the mobile station, and then performs diversity combining of radio signals from the mobile terminal received through the relay station associated with said one of the base stations and the relay station associated with said another base station (pg. 3, pp0027, lines 16-26).

Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 2-5, 10, and 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pasanen et al (US Publication No. 20050141593) in view of Mohebbi (US Patent No. 7236788).

Page 4

Art Unit: 2629

- 6. As to claims 2, 10, and 13, Pasanen teaches comprising: a wireless network control apparatus that controls communication between the base stations and the mobile terminal (fig. 1); wherein the wireless network control apparatus comprises, a relay station which can be communicatively connected to the base station, in relation to the respective base stations (pg. 3, pp0027, lines 10-15); search means that, when more than one of the plurality of the base stations detect the mobile terminal, searches a base station which can be communicatively connected to relay stations associated with the base stations which detected the mobile terminal, from the base stations which detected the mobile terminal (pg. 3, pp0027, lines 8-11); and control means that allows communication connection to be established between the base station searched by the search means and the respective relay stations (pg. 3, pp0032, lines 11-15); wherein the base station comprises combining means that performs diversity combining of radio signals from the mobile terminal received through the respective relay stations (pg. 3, pp0027, lines 21-26). However, Pasanen fails to a management table for storing information. Mohebbi teaches a management table for storing a relay station (BTS) (col. 12, lines 20-28). Thus, it would have been obvious to one of ordinary skill in the art at time the invention was made to combine the teachings of Pasanen system with the management table teachings of Mohebbi to achieve the goal of efficiently controlling multiple access points in a given communication system.
- 7. As to claim 3, Pasanen in view of Mohebbi teaches the limitations of claim 2 as discussed above. However, Pasanen fails to teach wherein when a mobile terminal is detected based on information indicating radio field intensity received from the mobile

Art Unit: 2629

terminal, the search means searches a base station that can be communicatively connected to relay stations that have relayed the information indicating the radio field intensity. Mohebbi teaches a mobile station selecting signal based on the signal strength (col. 1, lines 58-62). Thus, it would have been obvious to one of ordinary skill in the art at time the invention was made to combine the teachings of Pasanen with the teachings of Mohebbi to achieve the goal of efficiently determining a mobile station in a communication region of a wireless communication system.

Page 5

- 8. As to claim 4, Pasanen in view of Mohebbi teaches the limitations of claim 2 as discussed above. However, Pasanen fails to teach wherein the control means of the wireless network control apparatus disconnects communicative connection between base station other than the base station searched by the search means and the relay station. Mohebbi teaches disconnecting the first base station (BTS-A) when (BTS-B) is connected as the serving base station (col. 7, lines 8-17). Thus, it would have been obvious to one of ordinary skill in the art at time the invention was made to combine the teachings of Pasanen with the teachings of Mohebbi to achieve the goal of efficiently consuming power in the base station not currently in communication with the mobile station.
- 9. As to claim 5, Pasanen in view of Mohebbi teaches the limitations of claim 2 as discussed above. Also, Pasanen teach wherein the base station comprises relaystation-information transmission means that transmits information indicating relay stations to which the base station can be communicatively connected to the wireless network control apparatus (pg. 3, pp0033, lines 9-13); and information indicating the

Art Unit: 2629

communicatively connectable relay stations transmitted from the base station (pg. 3, pp0032, lines 1-9). However, Pasanen fails to teach the wireless network control apparatus comprises management-table update means that updates the management table. Mohebbi teaches a management table (fig. 8, #284) which stores the update (active list) information of base station (col. 12, lines 23-29). Thus, it would have been obvious to one of ordinary skill in the art at time the invention was made to combine the teachings of Pasanen system with the management table teachings of Mohebbi to achieve the goal of efficiently controlling and refreshing the information of multiple access points in a given communication system.

Page 6

- 10. Claims 6-9, 11, and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pasanen et al (US Publication No. 20050141593) in view of Jiang et al (US Patent No. 6519457) and Kubota (US Publication No. 20010007819).
- 11. As to claims 6, 7, 8, and 9, Pasanen teaches the limitations of claim 1 as discussed above. Pasanen further teaches combining means that performs diversity combining of radio signals from the mobile terminal received through a plurality of relay stations (pg. 3, pp0027, lines 21-26). However, Pasanen fails to teach wherein said base station comprises, inter-base station communication means for communicating with said another base station; a management table that stores information on relay station which can be communicatively connected to said base station; determination means that, when the mobile terminal is detected, determines whether said another

Art Unit: 2629

base station in communication with the same mobile terminal exist or not based on information from said another base station obtained by communication using the interbase station communication means; search means that, when said another base station in communication with the same mobile terminal detected by said base station is determined to exist, searches a base station which can be communicatively connected to a relay station associated with said base station and relay station associated with said another base station which communicate with the same mobile terminal based on the management table; control means that communicates a control signal through the inter-base station communication means such that communication connection is established between the base station searched by the search means and the respective relay stations;. Jiang teaches inter-base station communication means for communicating with said another base station (fig. 3, #160). A relay station (fig. 3, #136) communicating with the source base station (col. 4, lines 51-53), determination means (fig. 3, #122) that, when the mobile terminal is detected, determines whether said another base station in communication with the same mobile terminal exist or not (col. 8, line 15-20) based on information from said another base station (target base station) obtained by communication using the inter-base station communication means (col. 9, lines 5-15), search means that, when said another base station in communication with the same mobile terminal detected by said base station is determined to exist, searches a base station which can be communicatively connected to a relay station associated with said base station (fig. 3, #136) and relay station associated with said another base station (fig. 3, #162) which communicate with the same mobile terminal (col. 7, lines 45-

Page 7

50), control means (fig. 3, #130) that communicates a control signal through the interbase station communication means such that communication connection is established between the base station searched by the search means and the respective relay stations (col. 4, lines 45-55). Also, Kubota teaches a management table for storing relay information between the base station and the mobile terminal (fig. 7-9). Thus, it would have been obvious to one of ordinary skill in the art at time of invention was made to combine the teachings of Pasanen with Jiang and Kubota to achieve a communication system with direct link between the base stations which will reduce the transmission time to avoid dropping calls. Also, such a system would reduce the work load on the communication control system.

- 12. As to claim 11, the base station limitations of claim 11 are inherent in the system of Pasanen in view of Jiang and Kubota as discussed in claim 6 above.
- 13. As to claim 14, the method limitations of claim 14 are inherent in the system of Pasanen in view of Jiang and Kubota as discussed in claim 6 above.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to OMONIYI A. OBAYANJU whose telephone number is (571)270-5885. The examiner can normally be reached on Mon - Fri, 7:30 - 5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mark Robinson can be reached on 571-272-2319. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/582,793 Page 9

Art Unit: 2629

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/O. A. O./ Examiner, Art Unit 4163

/Mark A. Robinson/ Supervisory Patent Examiner, Art Unit 4163